

Appl. No. 09/346,470
Amdt. dated October 14, 2005
Reply to Non-Compliant Amendment dtd October 6, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-78. Canceled

79. (Previously presented) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes or is complementary to a sequence which encodes an ecdysteroid receptor (EcR) polypeptide that binds ecdysone, wherein the encoded EcR polypeptide consists essentially of the amino acid sequence set forth in SEQ ID NO:10.
80. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein said sequence consists essentially of the nucleotide sequence set forth in SEQ ID NO:9.
81. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein the isolated nucleic acid molecule further encodes an EcR partner protein (USP polypeptide) of a *Myzus persicae* EcR heterodimer, which USP polypeptide consists essentially of an amino acid sequence as set forth in SEQ ID NO:12.
82. (Previously presented) The isolated nucleic acid molecule of claim 81, wherein the USP polypeptide is encoded by the nucleic acid sequence set forth in SEQ ID NO:11.
83. (Previously presented) The isolated nucleic acid molecule of claim 81, wherein the USP polypeptide is identical to that encoded by cDNA present in plasmid pMpUSP (AGAL Accession No. NM99/04568).
84. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein said polypeptide consists of an amino acid sequence encoded by a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567.

Appl. No. 09/346,470
Amdt. dated October 14, 2005
Reply to Non-Compliant Amendment dtd October 6, 2005

85. (Currently amended) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes or is complementary to a sequence which encodes an ecdysteroid receptor (EcR) polypeptide that binds ecdysone, when said EcR polypeptide is in association with a USP polypeptide, said EcR polypeptide consisting of an amino acid sequence ~~having at least 60% amino acid sequence identity~~ substantially identical to the amino acid sequence set forth in SEQ ID NO:10, wherein said encoded EcR polypeptide is not a *Drosophila melanogaster* EcR polypeptide.
- 86-87. (Canceled)
88. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the EcR polypeptide is derived from a member of the genus *Myzus*.
89. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the insect is *Myzus persicae*.
90. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the isolated nucleic acid molecule further encodes and EcR partner protein (USP polypeptide) of the *M. persicae* EcR polypeptide, wherein the USP polypeptide consists essentially of an amino acid sequence set forth in SEQ ID NO:12.
91. (Previously presented) A genetic construct comprising the isolated nucleic acid molecule of claim 79, wherein said nucleotide sequence is operably linked to a promoter sequence.
92. (Previously presented) The genetic construct of claim 91, wherein said promoter sequence is a MMTV, SV40, polyhedrin or p10 promoter sequence.
93. (Previously presented) A cell comprising the genetic construct of claim 91.

Appl. No. 09/346,470
Amdt. dated October 14, 2005
Reply to Non-Compliant Amendment dtd October 6, 2005

94. (Previously presented) The cell of claim 93, wherein the cell further comprises a nucleic acid molecule encoding an ecdysteroid receptor partner protein (USP polypeptide) which is expressed in said cell.
95. (Currently amended) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes ~~or is complementary to a sequence which encodes~~ a ecdysteroid receptor (EcR) polypeptide, wherein said ecdysteroid receptor polypeptide is not from *Drosophila melanogaster*, wherein said EcR polypeptide binds ecdysone, and wherein said nucleotide sequence is selected from the group consisting of:
- (i) ~~a nucleotide sequence having at least 60% identity to the nucleotide sequence set forth in SEQ ID NO:9, or a complementary nucleotide sequence thereto;~~
 - (ii) ~~a nucleotide sequence that hybridises under at high stringency conditions to the nucleotide sequence set forth in SEQ ID NO:9 or to a complementary nucleotide sequence thereto, wherein high stringency conditions are a hybridisation and/or a wash carried out in 0.1xSSC-0.2xSSC buffer, 0.1% (w/v) SDS at a temperature of at least 55°C;~~
 - (iii) ~~a nucleotide sequence having at least 60% identity to a nucleotide sequence of a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567; and~~
 - (iv) ~~a nucleotide sequence that is capable of hybridising under high stringency conditions to a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567, wherein high stringency conditions are a hybridisation and/or a wash carried out in 0.1xSSC-0.2xSSC buffer, 0.1% (w/v) SDS at a temperature of at least 55°C.~~ is substantially identical to the nucleotide sequence set forth in SEQ ID NO:9 or a sequence complementary to said sequence.